



LG5318GJB Concrete Truck Mixer

Engine	
Model	WD615.47
Type	Water cooled, turbocharged
Rated power	272kw
Rated speed	2200rpm
Main Technical Specification	
Chassis model	HOWO ZZ1317N3261W
N.V.W	15000kg
Payloading capacity	30000kg
G.V.W	45000kg
Axle loading capacity(F/R)	2×10000/2×16000kg

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Tel: +86-21-541-71571

E-mail: <mailto:info@shlongji.com>

Fax: +86-21-541-71572

Max. traveling speed	102km
Grade ability	48%
Approach angle	16°
Departure angle	18°
Ground clearance	298mm
Dimensions	
Overall size	10207×2496×3115mm
Wheel base	1800/3175/1400mm
Tread(F/R)	2022/2041/1830mm
Transmission System	
HW19710 10 forward, 2 reverse	
Ratio	
Forward	14.28,10.62,7.87,5.88,4.38,3.27,2.43,1.80,1.34,1.00
Reverse	13.91,3.18
Mixer Drum	
Effective capacity	12m ³
Leaning angle	12°
rotation speed	0-14rpm
Feeding speed	≥3m ³ /min
Discharging speed	≥3m ³ /min
Landslide speed	100-230mm
Surplus rate	≤1%
Water tank	300L
Axle And Type	
Front axle	HF9
Rear axle	HC16
Ratio	5.73
Tyre size	12.00-20
Steering System	
ZF8098,Hydraulic steering with power assistance	
Ratio	22.2-26.2
Clutch And Brakes	
Single—plate dry coil-spring clutch, hydraulically operated with air assistance	
Service brake	Dual circuit compressed air brake
Parking brake	Spring energy operating on rear wheels
Auxiliary brake	Engine exhaust brake
Cab	
HW76 standard cab, four point full-floating damper, new European-style integral heating and ventilation	

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

Tel: +86-21-541-71571

E-mail: <mailto:info@shlongji.com>

Fax: +86-21-541-71572

system, single sleeper

Shanghai Longji Construction Machinery Co., Ltd.

Add: Room 1311, Building C, Lane 58, No.1 East Xinjian Road, Minhang District, Shanghai City, China

Post Code: 201100

E-mail: <mailto:info@shlongji.com>

Tel: +86-21-541-71571

Fax: +86-21-541-71572